

2008

DNA Vaccines And HIV/AIDS

Ricardo Belmontes
Worcester Polytechnic Institute

James Ham

Ricardo Paz

Emily Scott-Solomon

Follow this and additional works at: <http://digitalcommons.wpi.edu/gps-posters>

Recommended Citation

Belmontes, Ricardo; Ham, James; Paz, Ricardo; and Scott-Solomon, Emily, "DNA Vaccines And HIV/AIDS" (2008). *Great Problems Seminar Posters*. 49.
<http://digitalcommons.wpi.edu/gps-posters/49>

This Text is brought to you for free and open access by the Great Problems Seminar at DigitalCommons@WPI. It has been accepted for inclusion in Great Problems Seminar Posters by an authorized administrator of DigitalCommons@WPI. For more information, please contact akgold@wpi.edu.



DNA Vaccines And HIV / AIDS

Ricardo Belmontes, James Ham, Ricardo Paz, Emily Scott-Solomon
 Advisors: Professors Jill Rulfs and Helen G. Vassallo


Great Problems Seminar:
 Heal The World

Problem Statement

HIV / AIDS affects over 33 million people worldwide, with the greatest number of victims located in developing countries. Conventional drugs only ease symptoms and do not cure the disease. A DNA vaccination that knocks down the CCR-5 gene could offer a solution to the disease.

Over 33 Million People Live with HIV/AIDS Worldwide

HIV is a retrovirus that infects T-cells which are central in adaptive immunity. It enters a cell by attaching to the CD4 receptor and the CXCR4 or CCR5 co-receptor. The HIV infection causes the body to lose cell immunity. The current treatment for HIV/AIDS, a triple cocktail which combines protease and reverse transcriptase inhibitors, costs about \$10,000-\$15,000 a year. However, the protease inhibitors increase the risk of cardiovascular disease and sudden heart failure in middle-aged HIV/AIDS patients.




Creating the Vaccine: Funding

While the cost of delivering a DNA vaccine to a patient is cheap, the initial discovery cost of the vaccine is in the millions. In 2000, contemporary pharmaceutical companies estimated the cost of creating a new drug was \$403 million. Two potential HIV / AIDS vaccine trials were scheduled, estimated to cost \$140 million and \$63 million dollars. In order to create a vaccine, additional funding would be needed from outside sources:

- The Bill and Melinda Gates Foundation
- Private foundations
- Universities and research centers
- National Institute for Health (NIH):
 - Estimated budget in 2008 is \$2,905,219,000 with \$596,195,000 allocated for AIDS/HIV research.

DNA Vaccines

A DNA vaccine works by directly injecting DNA into the body, either the muscle or skin. Carrying the genetic information required, it begins producing antigens inside a host cell which will lead to a cell-mediated immune response. The plasmid DNA vaccine carries the genetic code for a piece of pathogen antigen and transcribes it to the nucleus. The mRNA is translated into protein and then into peptides. The cytotoxic CD 8+ lymphocytes bind to the peptides and induce the cell-mediated immune response.



References:

1. Stevenson, Mario. "HIV-1 Pathogenesis." *Nature Medicine* 9 (2003): 853-60.
2. Dragic, Tatjana, Virginia Litwin, Graham P. Allaway, Scott R. Martin, Yaoxing Huang, Kirsten A. Nagashima, Charmagne Cayanan, Paul J. Maddon, Richard A. Koup, John P. Moore, and William A. Paxton. "HIV-1 entry into CD4 sup + cells is mediated by the chemokine receptor CC-CCR-5." *Nature* 381 (1996): 667-73.
3. Lehner, Thomas, Carl Doyle, Yufei Wang, Kaboutar Babaahmady, Trevor Whittall, Louisa Tao, Lesley Bergmeier, and Charles Kelly. "Immunogenicity of the Extracellular Domains of C-C Chemokine Receptor 5 and the In Vitro effects on Simian Immunodeficiency Virus or HIV Infectivity." *The Journal of Immunology* 166 (2001): 7446-455.
4. Bogers, Willy, Lesley A. Bergmeier, Julian Ma, Herman Oostmeijer, Yufei Wang, Charles G. Kelly, Peter Ten Haaf, Mahavir Singh, Jonathan L. Heeny, and Thomas Lehner. "A novel HIV-CCR5 receptor vaccine strategy in the control of mucosal SIV/HIV infection." *AIDS* 18 (2004): 25-36.
5. Chackerian, Bryce, Lindsey Briglio, Paul S. Albert, Douglas R. Lowy, and John T. Schiller. "Induction of Antibodies to CCR5 in Macaques and Subsequent Effects upon Challenge with an R5-Tropic Simian/Human Immunodeficiency Virus." *Journal of Virology* 78 (2004): 4037-047.
6. Yang, J., Y. W. Zhang, J. F. Huang, Y. P. Zhang, and C. Q. Liu. "Structure Analysis of CCR5 from Human and Primates." (2000).

Trial Areas: Lesotho and the United States

- United States**
- Developed nation
 - Unstable economic and politics minimized
 - Focus can be made on effectiveness of vaccine
- Lesotho**
- 270,000 people infected with AIDS (23.2% of population)
 - Relatively small area (11,720 sq miles)
 - Presence of Riders for Health
 - Variety of variables stereotypical of developing nations



Assessment:

Data	Reason
Name	<ul style="list-style-type: none"> • Determine if patients completed treatment and returned for follow ups
Housing Location	<ul style="list-style-type: none"> • Environmental factors that contribute to spread of disease • Area in need of alternative distribution method
Blood Test Results	<ul style="list-style-type: none"> • Check HIV virus level
Dietary Habits	<ul style="list-style-type: none"> • Nutrition Level
Clinical Visitation Dates	<ul style="list-style-type: none"> • Followed inoculation regimens (grace periods between treatments)
Age	<ul style="list-style-type: none"> • Determine most susceptible population to target • Most treatment responsive age
Gender	<ul style="list-style-type: none"> • Check for gender specific side effects
Economic Status (Income)	<ul style="list-style-type: none"> • Determine most susceptible population to target • Determine price range affordable
Family History (if Available)	<ul style="list-style-type: none"> • Determine potential genetic diseases
Patient Health History	<ul style="list-style-type: none"> • Other diseases that could be attributed to death if occurs • Determine progression of HIV/AIDS in system
Allergies	<ul style="list-style-type: none"> • Cease distribution to patient to avoid hyperimmune response
Prescriptions	<ul style="list-style-type: none"> • Determine if certain medications heighten vaccination response • Determine if certain medications increase health risks